



Features

- ◆Intel® Bay Trail J1800/J1900 Low Power Consumption CPU, TDP 10W
- ◆Rich I/O Ports: 9 USB, 2 COM, 1 LAN
- ◆HDMI+VGA+LVDS, Hardware Decoding 1080P
- ◆Mini-ITX Size

Specifications

CPU	Intel® Celeron® J1800/J1900 CPU on board
Chipset	SoC Integrated
System Memory	1 x DDR3L SO-DIMM, up to 8GB
BIOS	SPI AMI EFI
Display	1 x VGA (1920 X 1200) 1 x HDMI (3840 X 2160) (DP as optional) 1 x LVDS
Storage	1 x SATA 2.0 1 x mSATA
Expansion Interface	1 x mini-PCIe Slot; 1 x SIM
Ethernet	1 x 10/100/1000 Mbps Ethernet (Realtek RTL8111F)
Rear I/O	1 x USB 3.0
	3 x USB 2.0
	1 x LAN (RJ45)
	1 x VGA
	1 x HDMI
	1 x DC-IN
	1 x MIC
	1 x LINE_OUT
Internal I/O	2 x RS 232 Pinhead
	5 x USB 2.0 Pinhead
	1 x F_AUDIO Pinhead
	1 x 4 bit GPIO
Power Input	12V DC in
Mechanism	Dimensions (W x D x H): 170 x 170 x 22 mm
Environment	Operation Temperature: -10 ~ 55°C
	Storage Temperature: -40 ~ 80°C
	Relative Humidity: 0 % ~ 90%, non-condensing
Certificate	CE
OS support	Windows 7; Windows 8; Linux; Android 4.42



Top View

Ordering Information

Model Name	Description
MARS-J191	Celeron® J1800/J1900 CPU on board, 1 HDMI, 1 VGA, 2 COM, 9 USB, 1 LAN

Dimensions

